

Aves da Bahia, por Caio Graco Machado e Osmar Borges, 2013

Ordem	Família	Nome do Táxon
Struthioniformes	Rheidae	<i>Rhea americana</i> (Linnaeus, 1758)
Tinamiformes	Tinamidae	<i>Tinamus solitarius</i> (Vieillot, 1819)
		<i>Crypturellus soui</i> (Hermann, 1783)
		<i>Crypturellus obsoletus</i> (Temminck, 1815)
		<i>Crypturellus undulatus</i> (Temminck, 1815)
		<i>Crypturellus noctivagus</i> (Wied, 1820)
		<i>Crypturellus variegatus</i> (Gmelin, 1789)
		<i>Crypturellus parvirostris</i> (Wagler, 1827)
		<i>Crypturellus tataupa</i> (Temminck, 1815)
		<i>Rhynchotus rufescens</i> (Temminck, 1815)
		<i>Nothura boraquira</i> (Spix, 1825)
		<i>Nothura minor</i> (Spix, 1825)
		<i>Nothura maculosa</i> (Temminck, 1815)
Anseriformes	Anhimidae	<i>Anhima cornuta</i> (Linnaeus, 1766)
	Anatidae	<i>Dendrocygna bicolor</i> (Vieillot, 1816)
		<i>Dendrocygna viduata</i> (Linnaeus, 1766)
		<i>Dendrocygna autumnalis</i> (Linnaeus, 1758)
		<i>Cairina moschata</i> (Linnaeus, 1758)
		<i>Sarkidiornis sylvicola</i> Ihering & Ihering, 1907
		<i>Amazonetta brasiliensis</i> (Gmelin, 1789)
		<i>Anas bahamensis</i> Linnaeus, 1758
		<i>Netta erythrophthalma</i> (Wied, 1832)
		<i>Mergus octosetaceus</i> Vieillot, 1817
		<i>Nomonyx dominica</i> (Linnaeus, 1766)
Galliformes	Cracidae	<i>Ortalis guttata</i> (Spix, 1825)
		<i>Ortalis motmot</i> (Linnaeus, 1766)
		<i>Ortalis superciliaris</i> (Gray, 1867)
		<i>Penelope superciliaris</i> Temminck, 1815
		<i>Penelope obscura</i> Temminck, 1815
		<i>Penelope ochrogaster</i> Pelzeln, 1870
		<i>Penelope jacucaca</i> Spix, 1825
		<i>Aburria jacutinga</i> (Spix, 1825)
		<i>Pauxi mitu</i> (Linnaeus, 1766)
		<i>Crax blumenbachii</i> Spix, 1825
	Odontophoridae	<i>Odontophorus capueira</i> (Spix, 1825)
Podicipediformes	Podicipedidae	<i>Tachybaptus dominicus</i> (Linnaeus, 1766)
		<i>Podilymbus podiceps</i> (Linnaeus, 1758)
Sphenisciformes	Spheniscidae	<i>Spheniscus magellanicus</i> (Forster, 1781)
Procellariiformes	Diomedidae	<i>Phoebetria fusca</i> (Hilsenberg, 1822)
		<i>Phoebetria palpebrata</i> (Forster, 1785)
		<i>Thalassarche chlororhynchos</i> (Gmelin, 1789)
		<i>Thalassarche melanophris</i> (Temminck, 1828)
		<i>Thalassarche cauta</i> (Gould, 1841)

	Procellariidae	<p><i>Fulmarus glacialisoides</i> (Smith, 1840) <i>Daption capense</i> (Linnaeus, 1758) <i>Lugensa brevirostris</i> (Lesson, 1831) <i>Pterodroma mollis</i> (Gould, 1844) <i>Pterodroma incerta</i> (Schlegel, 1863) <i>Pachyptila vittata</i> (Forster, 1777) <i>Pachyptila desolata</i> (Gmelin, 1789) <i>Pachyptila belcheri</i> (Mathews, 1912) <i>Procellaria cinerea</i> Gmelin, 1789 <i>Procellaria aequinoctialis</i> Linnaeus, 1758 <i>Procellaria conspicillata</i> Gould, 1844 <i>Calonectris borealis</i> (Cory, 1881) <i>Calonectris edwardsii</i> (Oustalet, 1883) <i>Puffinus griseus</i> (Gmelin, 1789) <i>Puffinus tenuirostris</i> (Temminck, 1836) <i>Puffinus gravis</i> (O'Reilly, 1818) <i>Puffinus puffinus</i> (Brünnich, 1764) <i>Fregetta grallaria</i> (Vieillot, 1818) <i>Fregetta tropica</i> (Gould, 1844) <i>Oceanites oceanicus</i> (Kuhl, 1820) <i>Pelagodroma marina</i> (Latham, 1790) <i>Oceanodroma leucorhoa</i> (Vieillot, 1818) <i>Phaethon aethereus</i> Linnaeus, 1758 <i>Phaethon rubricauda</i> Boddaert, 1783 <i>Phaethon lepturus</i> Daudin, 1802 <i>Ciconia maguari</i> (Gmelin, 1789) <i>Jabiru mycteria</i> (Lichtenstein, 1819) <i>Mycteria americana</i> Linnaeus, 1758 <i>Fregata magnificens</i> Mathews, 1914 <i>Sula dactylatra</i> Lesson, 1831 <i>Sula sula</i> (Linnaeus, 1766) <i>Sula leucogaster</i> (Boddaert, 1783) <i>Phalacrocorax brasiliensis</i> (Gmelin, 1789) <i>[Phalacrocorax bransfieldensis</i> Murphy, 1936] <i>Anhinga anhinga</i> (Linnaeus, 1766) <i>Pelecanus occidentalis</i> Linnaeus, 1766 <i>Tigrisoma lineatum</i> (Boddaert, 1783) <i>Cochlearius cochlearius</i> (Linnaeus, 1766) <i>Botaurus pinnatus</i> (Wagler, 1829) <i>Ixobrychus exilis</i> (Gmelin, 1789) <i>Ixobrychus involucris</i> (Vieillot, 1823) <i>Nycticorax nycticorax</i> (Linnaeus, 1758) <i>Nyctanassa violacea</i> (Linnaeus, 1758) <i>Butorides striata</i> (Linnaeus, 1758) <i>Bubulcus ibis</i> (Linnaeus, 1758) <i>Ardea cocoi</i> Linnaeus, 1766</p>
	Hydrobatidae	
Phaethontiformes	Phaethontidae	
Ciconiiformes	Ciconiidae	
Suliformes	Fregatidae Sulidae	
	Phalacrocoracidae	
	Anhingidae	
Pelecaniformes	Pelecanidae Ardeidae	

		<i>Ardea alba</i> Linnaeus, 1758
		<i>Syrigma sibilatrix</i> (Temminck, 1824)
		<i>Ptilerodius pileatus</i> (Boddaert, 1783)
		<i>Egretta thula</i> (Molina, 1782)
		<i>Egretta caerulea</i> (Linnaeus, 1758)
	Threskiornithidae	<i>Eudocimus ruber</i> (Linnaeus, 1758)
		<i>Mesembrinibis cayennensis</i> (Gmelin, 1789)
		<i>Phimosus infuscatus</i> (Lichtenstein, 1823)
		<i>Theristicus caudatus</i> (Boddaert, 1783)
		<i>Platalea ajaja</i> Linnaeus, 1758
Cathartiformes	Cathartidae	<i>Cathartes aura</i> (Linnaeus, 1758)
		<i>Cathartes burrovianus</i> Cassin, 1845
		<i>Coragyps atratus</i> (Bechstein, 1793)
		<i>Sarcoramphus papa</i> (Linnaeus, 1758)
Accipitriformes	Pandionidae	<i>Pandion haliaetus</i> (Linnaeus, 1758)
	Accipitridae	<i>Leptodon cayanensis</i> (Latham, 1790)
		<i>Chondrohierax uncinatus</i> (Temminck, 1822)
		<i>Elanoides forficatus</i> (Linnaeus, 1758)
		<i>Gampsonyx swainsonii</i> Vigors, 1825
		<i>Elanus leucurus</i> (Vieillot, 1818)
		<i>Harpagus bidentatus</i> (Latham, 1790)
		<i>Harpagus diodon</i> (Temminck, 1823)
		<i>Circus buffoni</i> (Gmelin, 1788)
		<i>Accipiter poliogaster</i> (Temminck, 1824)
		<i>Accipiter superciliosus</i> (Linnaeus, 1766)
		<i>Accipiter striatus</i> Vieillot, 1808
		<i>Accipiter bicolor</i> (Vieillot, 1817)
		<i>Ictinia plumbea</i> (Gmelin, 1788)
		<i>Busarellus nigricollis</i> (Latham, 1790)
		<i>Rostrhamus sociabilis</i> (Vieillot, 1817)
		<i>Geranoospiza caerulescens</i> (Vieillot, 1817)
		<i>Buteogallus aequinoctialis</i> (Gmelin, 1788)
		<i>Heterospizias meridionalis</i> (Latham, 1790)
		<i>Amadonastur lacemulatus</i> (Temminck, 1827)
		<i>Urubitinga urubitinga</i> (Gmelin, 1788)
		<i>Urubitinga coronata</i> (Vieillot, 1817)
		<i>Rupornis magnirostris</i> (Gmelin, 1788)
		<i>Parabuteo unicinctus</i> (Temminck, 1824)
		<i>Parabuteo leucorrhous</i> (Quoy & Gaimard, 1824)
		<i>Geranoaetus albicaudatus</i> (Vieillot, 1816)
		<i>Geranoaetus melanoleucus</i> (Vieillot, 1819)
		<i>Pseudastur polionotus</i> (Kaup, 1847)
		<i>Buteo nitidus</i> (Latham, 1790)
		<i>Buteo brachyurus</i> Vieillot, 1816
		<i>Buteo albonotatus</i> Kaup, 1847
		<i>Morphnus guianensis</i> (Daudin, 1800)

Falconiformes	Falconidae	<p><i>Harpia harpyja</i> (Linnaeus, 1758) <i>Spizaetus tyrannus</i> (Wied, 1820) <i>Spizaetus melanoleucus</i> (Vieillot, 1816) <i>Spizaetus ornatus</i> (Daudin, 1800) <i>Ibycter americanus</i> (Boddaert, 1783) <i>Caracara plancus</i> (Miller, 1777) <i>Milvago chimachima</i> (Vieillot, 1816) <i>Herpetotheres cachinnans</i> (Linnaeus, 1758) <i>Micrastur ruficollis</i> (Vieillot, 1817) <i>Micrastur mirandollei</i> (Schlegel, 1862) <i>Micrastur semitorquatus</i> (Vieillot, 1817) <i>Falco sparverius</i> Linnaeus, 1758 <i>Falco columbarius</i> Linnaeus, 1758 <i>Falco ruficularis</i> Daudin, 1800 <i>Falco deiroleucus</i> Temminck, 1825 <i>Falco femoralis</i> Temminck, 1822 <i>Falco peregrinus</i> Tunstall, 1771 <i>Aramus guarauna</i> (Linnaeus, 1766) <i>Micropygia schomburgkii</i> (Schomburgk, 1848) <i>Rallus longirostris</i> Boddaert, 1783 <i>Aramides ypecaha</i> (Vieillot, 1819) <i>Aramides mangle</i> (Spix, 1825) <i>Aramides cajanea</i> (Statius Muller, 1776) <i>Aramides saracura</i> (Spix, 1825) <i>Amaurolimnas concolor</i> (Gosse, 1847) <i>Laterallus viridis</i> (Statius Muller, 1776) <i>Laterallus melanophaius</i> (Vieillot, 1819) <i>Laterallus exilis</i> (Temminck, 1831) <i>Porzana flaviventer</i> (Boddaert, 1783) <i>Porzana albicollis</i> (Vieillot, 1819) <i>Neocrex erythrops</i> (Sclater, 1867) <i>Pardirallus maculatus</i> (Boddaert, 1783) <i>Pardirallus nigricans</i> (Vieillot, 1819) <i>Gallinula galeata</i> (Lichtenstein, 1818) <i>Gallinula melanops</i> (Vieillot, 1819) <i>Porphyrio martinica</i> (Linnaeus, 1766) <i>Porphyrio flavirostris</i> (Gmelin, 1789) <i>Heliornis fulica</i> (Boddaert, 1783) <i>Cariama cristata</i> (Linnaeus, 1766) <i>Vanellus cayanus</i> (Latham, 1790) <i>Vanellus chilensis</i> (Molina, 1782) <i>Pluvialis dominica</i> (Statius Muller, 1776) <i>Pluvialis squatarola</i> (Linnaeus, 1758) <i>Charadrius semipalmatus</i> Bonaparte, 1825 <i>Charadrius wilsonia</i> Ord, 1814 <i>Charadrius collaris</i> Vieillot, 1818</p>
Gruiformes	Aramidae Rallidae	
Cariamiformes	Heliornithidae Cariamidae	
Charadriiformes	Charadriidae	

Haematopodidae
 Recurvirostridae

Chionidae
 Scolopacidae

Jacanidae
 Rostratulidae
 Stercorariidae

Laridae

Sternidae

Haematopus palliatus Temminck, 1820
Himantopus mexicanus (Statius Muller, 1776)
Himantopus melanurus Vieillot, 1817
Chionis albus (Gmelin, 1789)
Gallinago paraguaiiae (Vieillot, 1816)
Gallinago undulata (Boddaert, 1783)
Limnodromus griseus (Gmelin, 1789)
Numenius borealis (Forster, 1772)
Numenius phaeopus (Linnaeus, 1758)
Bartramia longicauda (Bechstein, 1812)
Xenus cinereus (Guldenstadt, 1775)
Actitis macularius (Linnaeus, 1766)
Tringa solitaria Wilson, 1813
Tringa melanoleuca (Gmelin, 1789)
Tringa semipalmata (Gmelin, 1789)
Tringa flavipes (Gmelin, 1789)
Arenaria interpres (Linnaeus, 1758)
Calidris canutus (Linnaeus, 1758)
Calidris alba (Pallas, 1764)
Calidris pusilla (Linnaeus, 1766)
Calidris minutilla (Vieillot, 1819)
Calidris fuscicollis (Vieillot, 1819)
Calidris bairdii (Coues, 1861)
Calidris melanotos (Vieillot, 1819)
Jacana jacana (Linnaeus, 1766)
Nycticryphes semicollaris (Vieillot, 1816)
Stercorarius chilensis Bonaparte, 1857
Stercorarius maccormicki Saunders, 1893
Stercorarius antarcticus (Lesson, 1831)
Stercorarius pomarinus (Temminck, 1815)
Stercorarius parasiticus (Linnaeus, 1758)
Stercorarius longicaudus Vieillot, 1819
Chroicocephalus maculipennis (Lichtenstein, 1823)
Chroicocephalus cirrocephalus (Vieillot, 1818)
Leucophaeus atricilla (Linnaeus, 1758)
Larus dominicanus Lichtenstein, 1823
Anous stolidus (Linnaeus, 1758)
Gygis alba (Sparmann, 1786)
Onychoprion fuscatus (Linnaeus, 1766)
Sternula antillarum Lesson, 1847
Sternula superciliaris (Vieillot, 1819)
Phaetusa simplex (Gmelin, 1789)
Gelochelidon nilotica (Gmelin, 1789)
Sterna hirundo Linnaeus, 1758
Sterna dougallii Montagu, 1813
Sterna paradisaea Pontoppidan, 1763

Columbiformes

Rynchopidae
 Columbidae

Sterna hirundinacea Lesson, 1831
Sterna vittata Gmelin, 1789
Thalasseus acutiflavus (Cabot, 1847)
Thalasseus maximus (Boddaert, 1783)
Rynchops niger Linnaeus, 1758
Columbina passerina (Linnaeus, 1758)
Columbina minuta (Linnaeus, 1766)
Columbina talpacoti (Temminck, 1811)
Columbina squammata (Lesson, 1831)
Columbina picui (Temminck, 1813)
Columbina cyanopsis (Pelzeln, 1870)
Claravis pretiosa (Ferrari-Perez, 1886)
Claravis geoffroyi (Temminck, 1811)
Uropelia campestris (Spix, 1825)
Columba livia Gmelin, 1789
Patagioenas speciosa (Gmelin, 1789)
Patagioenas picazuro (Temminck, 1813)
Patagioenas cayennensis (Bonnaterre, 1792)
Patagioenas plumbea (Vieillot, 1818)
Zenaida auriculata (Des Murs, 1847)
Leptotila verreauxi Bonaparte, 1855
Leptotila rufaxilla (Richard & Bernard, 1792)
Geotrygon violacea (Temminck, 1809)
Geotrygon montana (Linnaeus, 1758)
Anodorhynchus hyacinthinus (Latham, 1790)
Anodorhynchus leari Bonaparte, 1856
Cyanopsitta spixii (Wagler, 1832)
Ara ararauna (Linnaeus, 1758)
Ara chloropterus Gray, 1859
Ara severus (Linnaeus, 1758)
Orthopsittaca manilata (Boddaert, 1783)
Primolius maracana (Vieillot, 1816)
Diopsittaca nobilis (Linnaeus, 1758)
Aratinga acuticaudata (Vieillot, 1818)
Aratinga leucophthalma (Statius Muller, 1776)
Aratinga auricapillus (Kuhl, 1820)
Aratinga jandaya (Gmelin, 1788)
Aratinga solstitialis (Linnaeus, 1766)
Aratinga aurea (Gmelin, 1788)
Aratinga pertinax (Linnaeus, 1758)
Aratinga cactorum (Kuhl, 1820)
Pyrrhura cruentata (Wied, 1820)
Pyrrhura frontalis (Vieillot, 1817)
Pyrrhura leucotis (Kuhl, 1820)
Pyrrhura griseipectus Salvadori, 1900
Forpus passerinus (Linnaeus, 1758)

Psittaciformes

Psittacidae

		<i>Forpus xanthopterygius</i> (Spix, 1824)
		<i>Brotogeris tirica</i> (Gmelin, 1788)
		<i>Brotogeris versicolurus</i> (Statius Muller, 1776)
		<i>Brotogeris chiriri</i> (Vieillot, 1818)
		<i>Touit melanonotus</i> (Wied, 1820)
		<i>Touit surdus</i> (Kuhl, 1820)
		<i>Pionopsitta pileata</i> (Scopoli, 1769)
		<i>Alipiopsitta xanthops</i> (Spix, 1824)
		<i>Pionus menstruus</i> (Linnaeus, 1766)
		<i>Pionus maximiliani</i> (Kuhl, 1820)
		<i>Amazona vinacea</i> (Kuhl, 1820)
		<i>Amazona farinosa</i> (Boddaert, 1783)
		<i>Amazona amazonica</i> (Linnaeus, 1766)
		<i>Amazona rhodocorytha</i> (Salvadori, 1890)
		<i>Amazona aestiva</i> (Linnaeus, 1758)
		<i>Triclaria malachitacea</i> (Spix, 1824)
Cuculiformes	Cuculidae	<i>Micrococcyx cinereus</i> (Vieillot, 1817)
		<i>Piaya cayana</i> (Linnaeus, 1766)
		<i>Coccyzus melacoryphus</i> Vieillot, 1817
		<i>Coccyzus americanus</i> (Linnaeus, 1758)
		<i>Coccyzus euleri</i> Cabanis, 1873
		<i>Crotophaga major</i> Gmelin, 1788
		<i>Crotophaga ani</i> Linnaeus, 1758
		<i>Guira guira</i> (Gmelin, 1788)
		<i>Tapera naevia</i> (Linnaeus, 1766)
		<i>Dromococcyx phasianellus</i> (Spix, 1824)
		<i>Dromococcyx pavoninus</i> Pelzeln, 1870
		<i>Neomorphus geoffroyi</i> (Temminck, 1820)
		<i>Tyto alba</i> (Scopoli, 1769)
Strigiformes	Tytonidae	<i>Megascops choliba</i> (Vieillot, 1817)
	Strigidae	<i>Megascops atricapilla</i> (Temminck, 1822)
		<i>Pulsatrix perspicillata</i> (Latham, 1790)
		<i>Pulsatrix koenigswaldiana</i> (Bertoni & Bertoni, 1901)
		<i>Bubo virginianus</i> (Gmelin, 1788)
		<i>Strix virgata</i> (Cassin, 1849)
		<i>Strix huhula</i> Daudin, 1800
		<i>Glaucidium hardyi</i> Vielliard, 1990
		<i>Glaucidium minutissimum</i> (Wied, 1830)
		<i>Glaucidium brasilianum</i> (Gmelin, 1788)
		<i>Athene cunicularia</i> (Molina, 1782)
		<i>Aegolius harrisi</i> (Cassin, 1849)
		<i>Asio clamator</i> (Vieillot, 1808)
		<i>Asio stygius</i> (Wagler, 1832)
		<i>Asio flammeus</i> (Pontoppidan, 1763)
Caprimulgiformes	Nyctibiidae	<i>Nyctibius grandis</i> (Gmelin, 1789)
		<i>Nyctibius aethereus</i> (Wied, 1820)

Caprimulgidae

Nyctibius griseus (Gmelin, 1789)
Nyctibius leucopterus (Wied, 1821)
Nyctiphrynus ocellatus (Tschudi, 1844)
Antrostomus rufus (Boddaert, 1783)
Antrostomus sericocaudatus Cassin, 1849
Lurocalis semitorquatus (Gmelin, 1789)
Hydropsalis leucopyga (Spix, 1825)
Hydropsalis vielliardi (Lencioni-Neto, 1994)
Hydropsalis nigrescens (Cabanis, 1848)
Hydropsalis albicollis (Gmelin, 1789)
Hydropsalis parvula (Gould, 1837)
Hydropsalis hirundinacea (Spix, 1825)
Hydropsalis longirostris (Bonaparte, 1825)
Hydropsalis torquata (Gmelin, 1789)
Chordeiles pusillus Gould, 1861
Chordeiles nacunda (Vieillot, 1817)
Chordeiles minor (Forster, 1771)

Apodiformes

Apodidae

Chordeiles acutipennis (Hermann, 1783)
Cypseloides fumigatus (Streubel, 1848)
Cypseloides senex (Temminck, 1826)
Streptoprocne zonaris (Shaw, 1796)
Streptoprocne biscutata (Sclater, 1866)
Chaetura spinicaudus (Temminck, 1839)
Chaetura cinereiventris Sclater, 1862
Chaetura meridionalis Hellmayr, 1907
Tachornis squamata (Cassin, 1853)
Panyptila cayennensis (Gmelin, 1789)
Ramphodon naevius (Dumont, 1818)
Glaucis dohrnii (Bourcier & Mulsant, 1852)
Glaucis hirsutus (Gmelin, 1788)
Anopetia gounellei (Boucard, 1891)
Phaethornis squalidus (Temminck, 1822)
Phaethornis idaliae (Bourcier & Mulsant, 1856)
Phaethornis ruber (Linnaeus, 1758)
Phaethornis pretrei (Lesson & Delattre, 1839)
Phaethornis eurynome (Lesson, 1832)
Phaethornis margarettae Ruschi, 1972
Campylopterus largipennis (Boddaert, 1783)
Eupetomena macroura (Gmelin, 1788)
Aphantochroa cirrochloris (Vieillot, 1818)
Florisuga fusca (Vieillot, 1817)
Colibri delphinae (Lesson, 1839)
Colibri serrirostris (Vieillot, 1816)
Anthracothorax nigricollis (Vieillot, 1817)
Chrysolampis mosquitus (Linnaeus, 1758)
Lophornis magnificus (Vieillot, 1817)

Trochilidae

		<i>Discosura langsdorffi</i> (Temminck, 1821)
		<i>Discosura longicaudus</i> (Gmelin, 1788)
		<i>Chlorostilbon notatus</i> (Reich, 1793)
		<i>Chlorostilbon mellisugus</i> (Linnaeus, 1758)
		<i>Chlorostilbon lucidus</i> (Shaw, 1812)
		<i>Thalurania furcata</i> (Gmelin, 1788)
		<i>Thalurania watertonii</i> (Bourcier, 1847)
		<i>Thalurania glaucopis</i> (Gmelin, 1788)
		<i>Hylocharis sapphirina</i> (Gmelin, 1788)
		<i>Hylocharis cyanus</i> (Vieillot, 1818)
		<i>Polytmus guainumbi</i> (Pallas, 1764)
		<i>Amazilia leucogaster</i> (Gmelin, 1788)
		<i>Amazilia versicolor</i> (Vieillot, 1818)
		<i>Amazilia brevirostris</i> (Lesson, 1829)
		<i>Amazilia fimbriata</i> (Gmelin, 1788)
		<i>Amazilia lactea</i> (Lesson, 1832)
		<i>Clytolaema rubricauda</i> (Boddaert, 1783)
		<i>Augastes scutatus</i> (Temminck, 1824)
		<i>Augastes lumachella</i> (Lesson, 1838)
		<i>Heliothyx auritus</i> (Gmelin, 1788)
		<i>Heliactin bilophus</i> (Temminck, 1820)
		<i>Heliomaster longirostris</i> (Audebert & Vieillot, 1801)
		<i>Heliomaster squamosus</i> (Temminck, 1823)
		<i>Calliphlox amethystina</i> (Boddaert, 1783)
Trogoniformes	Trogonidae	<i>Trogon viridis</i> Linnaeus, 1766
		<i>Trogon surrucura</i> Vieillot, 1817
		<i>Trogon curucui</i> Linnaeus, 1766
		<i>Trogon rufus</i> Gmelin, 1788
		<i>Trogon collaris</i> Vieillot, 1817
Coraciiformes	Alcedinidae	<i>Megaceryle torquata</i> (Linnaeus, 1766)
		<i>Chloroceryle amazona</i> (Latham, 1790)
		<i>Chloroceryle aenea</i> (Pallas, 1764)
		<i>Chloroceryle americana</i> (Gmelin, 1788)
		<i>Chloroceryle inda</i> (Linnaeus, 1766)
	Momotidae	<i>Baryphthengus ruficapillus</i> (Vieillot, 1818)
Galbuliformes	Galbulidae	<i>Jacamaralcyon tridactyla</i> (Vieillot, 1817)
		<i>Galbula ruficauda</i> Cuvier, 1816
	Bucconidae	<i>Notharchus swainsoni</i> (Gray, 1846)
		<i>Nystalus chacuru</i> (Vieillot, 1816)
		<i>Nystalus maculatus</i> (Gmelin, 1788)
		<i>Malacoptila striata</i> (Spix, 1824)
		<i>Nonnula rubecula</i> (Spix, 1824)
		<i>Monasa nigrifrons</i> (Spix, 1824)
		<i>Monasa morphoeus</i> (Hahn & Küster, 1823)
		<i>Chelidoptera tenebrosa</i> (Pallas, 1782)
Piciformes	Ramphastidae	<i>Ramphastos toco</i> Statius Muller, 1776

		<i>Ramphastos vitellinus</i> Lichtenstein, 1823
		<i>Ramphastos dicolorus</i> Linnaeus, 1766
		<i>Selenidera maculirostris</i> (Lichtenstein, 1823)
		<i>Pteroglossus bailloni</i> (Vieillot, 1819)
		<i>Pteroglossus aracari</i> (Linnaeus, 1758)
	Picidae	<i>Picumnus exilis</i> (Lichtenstein, 1823)
		<i>Picumnus pygmaeus</i> (Lichtenstein, 1823)
		<i>Picumnus cirratus</i> Temminck, 1825
		<i>Picumnus albosquamatus</i> d'Orbigny, 1840
		<i>Picumnus fulvescens</i> Stager, 1961
		<i>Melanerpes candidus</i> (Otto, 1796)
		<i>Melanerpes flavifrons</i> (Vieillot, 1818)
		<i>Veniliornis affinis</i> (Swainson, 1821)
		<i>Veniliornis maculifrons</i> (Spix, 1824)
		<i>Veniliornis passerinus</i> (Linnaeus, 1766)
		<i>Veniliornis spilogaster</i> (Wagler, 1827)
		<i>Veniliornis mixtus</i> (Boddaert, 1783)
		<i>Piculus flavigula</i> (Boddaert, 1783)
		<i>Piculus chrysochloros</i> (Vieillot, 1818)
		<i>Colaptes melanochloros</i> (Gmelin, 1788)
		<i>Colaptes campestris</i> (Vieillot, 1818)
		<i>Celeus flavescens</i> (Gmelin, 1788)
		<i>Celeus flavus</i> (Statius Muller, 1776)
		<i>Celeus torquatus</i> (Boddaert, 1783)
		<i>Dryocopus lineatus</i> (Linnaeus, 1766)
		<i>Campephilus robustus</i> (Lichtenstein, 1818)
		<i>Campephilus melanoleucos</i> (Gmelin, 1788)
Passeriformes	Thamnophilidae	<i>Terenura maculata</i> (Wied, 1831)
		Myrmornithinae Sundevall, 1872
		<i>Myrmornis torquata</i> (Boddaert, 1783)
	Thamnophilinae	<i>Myrmorchilus strigilatus</i> (Wied, 1831)
		<i>Myrmeciza ruficauda</i> (Wied, 1831)
		<i>Myrmeciza loricata</i> (Lichtenstein, 1823)
		<i>Myrmotherula gularis</i> (Spix, 1825)
		<i>Myrmotherula axillaris</i> (Vieillot, 1817)
		<i>Myrmotherula minor</i> Salvadori, 1864
		<i>Myrmotherula urosticta</i> (Sclater, 1857)
		<i>Formicivora iheringi</i> Hellmayr, 1909
		<i>Formicivora grisea</i> (Boddaert, 1783)
		<i>Formicivora melanogaster</i> Pelzeln, 1868
		<i>Formicivora rufa</i> (Wied, 1831)
		<i>Formicivora grantsau</i> Gonzaga, Carvalhaes & Buzzetti, 2007
		<i>Thamnomanes caesius</i> (Temminck, 1820)
		<i>Dysithamnus stictothorax</i> (Temminck, 1823)
		<i>Dysithamnus mentalis</i> (Temminck, 1823)

Dysithamnus plumbeus (Wied, 1831)
Herpsilochmus sellowi Whitney & Pacheco, 2000
Herpsilochmus pileatus (Lichtenstein, 1823)
Herpsilochmus atricapillus Pelzeln, 1868
Herpsilochmus pectoralis Sclater, 1857
Herpsilochmus longirostris Pelzeln, 1868
Herpsilochmus rufimarginatus (Temminck, 1822)
Sakesphorus cristatus (Wied, 1831)
Thamnophilus doliatus (Linnaeus, 1764)
Thamnophilus capistratus Lesson, 1840
Thamnophilus ruficapillus Vieillot, 1816
Thamnophilus torquatus Swainson, 1825
Thamnophilus palliatus (Lichtenstein, 1823)
Thamnophilus murinus Sclater & Salvin, 1868
Thamnophilus punctatus (Shaw, 1809)
Thamnophilus pelzelni Hellmayr, 1924
Thamnophilus ambiguus Swainson, 1825
Thamnophilus caeruleus Vieillot, 1816
Taraba major (Vieillot, 1816)
Hypoedaleus guttatus (Vieillot, 1816)
Batara cinerea (Vieillot, 1819)
Mackenziaena severa (Lichtenstein, 1823)
Pyriglena atra (Swainson, 1825)
Pyriglena leucoptera (Vieillot, 1818)
Rhopornis ardesiacus (Wied, 1831)
Cercomacra brasiliana Hellmayr, 1905
Drymophila ferruginea (Temminck, 1822)
Drymophila ochropyga (Hellmayr, 1906)
Drymophila squamata (Lichtenstein, 1823)
Melanopareia torquata (Wied, 1831)
Conopophaga lineata (Wied, 1831)
Conopophaga melanops (Vieillot, 1818)
Grallaria varia (Boddaert, 1783)
Hylopezus ochroleucus (Wied, 1831)
Merulaxis ater Lesson, 1830
Merulaxis stresemanni Sick, 1960
Eleoscytalopus indigoticus (Wied, 1831)
Eleoscytalopus psychopompus (Teixeira & Carnevalli, 1989)
Scytalopus speluncae (Ménétrières, 1835)
Scytalopus diamantinensis Bornschein, Maurício, Belmonte-Lopes, Mata & Bonato, 2007
Scytalopus novacapitalis Sick, 1958
Psilorhamphus guttatus (Ménétrières, 1835)
Formicarius colma Boddaert, 1783
Chamaeza campanisona (Lichtenstein, 1823)

Scleruridae	<i>Chamaeza meruloides</i> Vigors, 1825 <i>Sclerurus mexicanus</i> Sclater, 1857 <i>Sclerurus caudacutus</i> (Vieillot, 1816) <i>Sclerurus scansor</i> (Ménétrières, 1835) <i>Geositta poeciloptera</i> (Wied, 1830)
Dendrocolaptidae	<i>Dendrocincla fuliginosa</i> (Vieillot, 1818) <i>Dendrocincla turdina</i> (Lichtenstein, 1820) <i>Sittasomus griseicapillus</i> (Vieillot, 1818) <i>Glyphorhynchus spirurus</i> (Vieillot, 1819) <i>Xiphorhynchus fuscus</i> (Vieillot, 1818) <i>Xiphorhynchus guttatus</i> (Lichtenstein, 1820) <i>Campylorhamphus trochilirostris</i> (Lichtenstein, 1820) <i>Campylorhamphus falcularius</i> (Vieillot, 1822) <i>Dendroplex picus</i> (Gmelin, 1788) <i>Lepidocolaptes angustirostris</i> (Vieillot, 1818) <i>Lepidocolaptes squamatus</i> (Lichtenstein, 1822) <i>Lepidocolaptes wagleri</i> (Spix, 1824) <i>Dendrocolaptes platyrostris</i> Spix, 1825 <i>Xiphocolaptes falcirostris</i> (Spix, 1824) <i>Xiphocolaptes albicollis</i> (Vieillot, 1818)
Furnariidae	<i>Xenops minutus</i> (Sparrman, 1788) <i>Xenops rutilans</i> Temminck, 1821 <i>Berlepschia rikeri</i> (Ridgway, 1886) <i>Furnarius figulus</i> (Lichtenstein, 1823) <i>Furnarius leucopus</i> Swainson, 1838 <i>Furnarius rufus</i> (Gmelin, 1788) <i>Lochmias nematura</i> (Lichtenstein, 1823) <i>Automolus leucophthalmus</i> (Wied, 1821) <i>Hylocryptus rectirostris</i> (Wied, 1831) <i>Megaxenops paraguayae</i> Reiser, 1905 <i>Anabazenops fuscus</i> (Vieillot, 1816) <i>Philydor lichtensteini</i> Cabanis & Heine, 1859 <i>Philydor novaesi</i> Teixeira & Gonzaga, 1983 <i>Philydor atricapillus</i> (Wied, 1821) <i>Philydor rufum</i> (Vieillot, 1818) <i>Heliobletus contaminatus</i> Berlepsch, 1885 <i>Syndactyla dimidiata</i> (Pelzeln, 1859) <i>Cichlocolaptes leucophrus</i> (Jardine & Selby, 1830) <i>Pseudoseisura cristata</i> (Spix, 1824) <i>Phacellodomus rufifrons</i> (Wied, 1821) <i>Phacellodomus ruber</i> (Vieillot, 1817) <i>Phacellodomus erythrophthalmus</i> (Wied, 1821) <i>Anumbius annumbi</i> (Vieillot, 1817) <i>Schoeniophylax phryganophilus</i> (Vieillot, 1817) <i>Certhiaxis cinnamomeus</i> (Gmelin, 1788) <i>Gyalophylax hellmayri</i> (Reiser, 1905)

Synallaxis ruficapilla Vieillot, 1819
Synallaxis whitneyi Pacheco & Gonzaga, 1995
Synallaxis infuscata Pinto, 1950
Synallaxis cinerascens Temminck, 1823
Synallaxis frontalis Pelzeln, 1859
Synallaxis albescens Temminck, 1823
Synallaxis spixi Sclater, 1856
Synallaxis hypospodia Sclater, 1874
Synallaxis scutata Sclater, 1859
Acrobatornis fonscai Pacheco, Whitney & Gonzaga, 1996

Cranioleuca vulpina (Pelzeln, 1856)
Cranioleuca pallida (Wied, 1831)
Cranioleuca semicinerea (Reichenbach, 1853)
Thripophaga macroura (Wied, 1821)
Neopelma pallescens (Lafresnaye, 1853)
Neopelma aurifrons (Wied, 1831)
Pipra fasciicauda Hellmayr, 1906
Pipra rubrocapilla Temminck, 1821
Manacus manacus (Linnaeus, 1766)
Machaeropterus regulus (Hahn, 1819)
Dixiphia pipra (Linnaeus, 1758)
Ilicura militaris (Shaw & Nodder, 1809)
Chiroxiphia pareola (Linnaeus, 1766)
Chiroxiphia caudata (Shaw & Nodder, 1793)
Antilophia galeata (Lichtenstein, 1823)
Oxyruncus cristatus Swainson, 1821
Onychorhynchus swainsoni (Pelzeln, 1858)
Myiobius barbatus (Gmelin, 1789)
Myiobius atricaudus Lawrence, 1863
Schiffornis virescens (Lafresnaye, 1838)
Schiffornis turdina (Wied, 1831)
Laniocera hypopyrra (Vieillot, 1817)
Laniisoma elegans (Thunberg, 1823)
Iodopleura pipra (Lesson, 1831)
Tityra inquisitor (Lichtenstein, 1823)
Tityra cayana (Linnaeus, 1766)
Pachyramphus viridis (Vieillot, 1816)
Pachyramphus castaneus (Jardine & Selby, 1827)
Pachyramphus polychopterus (Vieillot, 1818)
Pachyramphus marginatus (Lichtenstein, 1823)
Pachyramphus validus (Lichtenstein, 1823)
Xenopsaris albinucha (Burmeister, 1869)
Lipaugus vociferans (Wied, 1820)
Lipaugus lanioides (Lesson, 1844)
Xipholena atropurpurea (Wied, 1820)

Rhynchocyclidae

- Procnias averano* (Hermann, 1783)
Procnias nudicollis (Vieillot, 1817)
Cotinga maculata (Statius Muller, 1776)
Pyroderus scutatus (Shaw, 1792)
Carpornis cucullata (Swainson, 1821)
Carpornis melanocephala (Wied, 1820)
Phibalura flavirostris Vieillot, 1816
Platyrynchus mystaceus Vieillot, 1818
Piprites chloris (Temminck, 1822)
Mionectes oleagineus (Lichtenstein, 1823)
Mionectes rufiventris Cabanis, 1846
Leptopogon amaurocephalus Tschudi, 1846
Corythopsis delalandi (Lesson, 1830)
Phylloscartes eximius (Temminck, 1822)
Phylloscartes beckeri Gonzaga & Pacheco, 1995
Phylloscartes roquettei Snethlage, 1928
Phylloscartes oustaleti (Sclater, 1887)
Phylloscartes difficilis (Ihering & Ihering, 1907)
Phylloscartes sylviolus (Cabanis & Heine, 1859)
Rhynchocyclus olivaceus (Temminck, 1820)
Tolmomyias sulphurescens (Spix, 1825)
Tolmomyias poliocephalus (Taczanowski, 1884)
Tolmomyias flaviventris (Wied, 1831)
Todirostrum poliocephalum (Wied, 1831)
Todirostrum cinereum (Linnaeus, 1766)
Poecilotriccus plumbeiceps (Lafresnaye, 1846)
Poecilotriccus fumifrons (Hartlaub, 1853)
Myiornis auricularis (Vieillot, 1818)
Hemitriccus diops (Temminck, 1822)
Hemitriccus zosterops (Pelzeln, 1868)
Hemitriccus striaticollis (Lafresnaye, 1853)
Hemitriccus nidipendulus (Wied, 1831)
Hemitriccus margaritaceiventer (d'Orbigny & Lafresnaye, 1837)
Hemitriccus mirandae (Snethlage, 1925)
Hemitriccus furcatus (Lafresnaye, 1846)
Hirundinea ferruginea (Gmelin, 1788)
Stigmatura napensis Chapman, 1926
Stigmatura budytoides (d'Orbigny & Lafresnaye, 1837)
Euscarthmus meloryphus Wied, 1831
Euscarthmus rufomarginatus (Pelzeln, 1868)
Tyranniscus burmeisteri (Cabanis & Heine, 1859)
Ornithion inerme Hartlaub, 1853
Camptostoma obsoletum (Temminck, 1824)
Elaenia flavogaster (Thunberg, 1822)
Elaenia spectabilis Pelzeln, 1868

Tyrannidae

Elaenia chilensis Hellmayr, 1927
Elaenia parvirostris Pelzeln, 1868
Elaenia mesoleuca (Deppe, 1830)
Elaenia pelzelni Berlepsch, 1907
Elaenia cristata Pelzeln, 1868
Elaenia chiriquensis Lawrence, 1865
Elaenia obscura (d'Orbigny & Lafresnaye, 1837)
Suiriri suiriri (Vieillot, 1818)
Suiriri islerorum Zimmer, Whittaker & Oren, 2001
Myiopagis gaimardii (d'Orbigny, 1839)
Myiopagis caniceps (Swainson, 1835)
Myiopagis viridicata (Vieillot, 1817)
Capsiempis flaveola (Lichtenstein, 1823)
Phaeomyias murina (Spix, 1825)
Phyllomyias reiseri Hellmayr, 1905
Phyllomyias fasciatus (Thunberg, 1822)
Phyllomyias griseocapilla Sclater, 1862
Culicivora caudacuta (Vieillot, 1818)
Polystictus superciliaris (Wied, 1831)
Pseudocolopteryx sclateri (Oustalet, 1892)
Serpophaga nigricans (Vieillot, 1817)
Serpophaga subcristata (Vieillot, 1817)
Attila rufus (Vieillot, 1819)
Attila spadiceus (Gmelin, 1789)
Legatus leucophaeus (Vieillot, 1818)
Ramphotrigon megacephalum (Swainson, 1835)
Myiarchus tuberculifer (d'Orbigny & Lafresnaye, 1837)
Myiarchus swainsoni Cabanis & Heine, 1859
Myiarchus ferox (Gmelin, 1789)
Myiarchus tyrannulus (Statius Muller, 1776)
Sirytes sibilator (Vieillot, 1818)
Rhytipterna simplex (Lichtenstein, 1823)
Casiornis rufus (Vieillot, 1816)
Casiornis fuscus Sclater & Salvin, 1873
Pitangus sulphuratus (Linnaeus, 1766)
Philohydor lictor (Lichtenstein, 1823)
Machetornis rixosa (Vieillot, 1819)
Myiodynastes maculatus (Statius Muller, 1776)
Megarynchus pitangua (Linnaeus, 1766)
Myiozetetes cayanensis (Linnaeus, 1766)
Myiozetetes similis (Spix, 1825)
Tyrannus albogularis Burmeister, 1856
Tyrannus melancholicus Vieillot, 1819
Tyrannus savana Vieillot, 1808
Tyrannus tyrannus (Linnaeus, 1766)
Griseotyrannus aurantioatrocristatus (d'Orbigny &

Lafresnaye, 1837)

Empidonomus varius (Vieillot, 1818)
Conopias trivirgatus (Wied, 1831)
Colonia colonus (Vieillot, 1818)
Myiophobus fasciatus (Statius Muller, 1776)
Sublegatus modestus (Wied, 1831)
Pyrocephalus rubinus (Boddaert, 1783)
Fluvicola albiventer (Spix, 1825)
Fluvicola nengeta (Linnaeus, 1766)
Arundinicola leucocephala (Linnaeus, 1764)
Gubernetes yetapa (Vieillot, 1818)
Alectrurus tricolor (Vieillot, 1816)
Cnemotriccus fuscatus (Wied, 1831)
Lathrotriccus euleri (Cabanis, 1868)
Contopus cinereus (Spix, 1825)
Lessonia rufa (Gmelin, 1789)
Knipolegus cyanirostris (Vieillot, 1818)
Knipolegus franciscanus Snethlage, 1928
Knipolegus lophotes Boie, 1828
Knipolegus nigerrimus (Vieillot, 1818)
Satrapa icterophrys (Vieillot, 1818)
Xolmis cinereus (Vieillot, 1816)
Xolmis velatus (Lichtenstein, 1823)
Xolmis irupero (Vieillot, 1823)
Muscipipra vetula (Lichtenstein, 1823)
Cyclarhis gujanensis (Gmelin, 1789)
Vireo olivaceus (Linnaeus, 1766)
Hylophilus poicilotis Temminck, 1822
Hylophilus amaurocephalus (Nordmann, 1835)
Hylophilus thoracicus Temminck, 1822
Cyanocorax cristatellus (Temminck, 1823)
Cyanocorax cyanopogon (Wied, 1821)
Pygochelidon cyanoleuca (Vieillot, 1817)
Pygochelidon melanoleuca (Wied, 1820)
Alopochelidon fucata (Temminck, 1822)
Atticora tibialis (Cassin, 1853)
Stelgidopteryx ruficollis (Vieillot, 1817)
Progne tapera (Vieillot, 1817)
Progne subis (Linnaeus, 1758)
Progne chalybea (Gmelin, 1789)
Tachycineta albiventer (Boddaert, 1783)
Tachycineta leucorrhoa (Vieillot, 1817)
Riparia riparia (Linnaeus, 1758)
Hirundo rustica Linnaeus, 1758
Troglodytes musculus Naumann, 1823
Campylorhynchus turdinus (Wied, 1831)

Vireonidae

Corvidae

Hirundinidae

Troglodytidae

	<i>Pheugopedius genibarbis</i> (Swainson, 1838)
	<i>Cantorchilus leucotis</i> (Lafresnaye, 1845)
	<i>Cantorchilus longirostris</i> (Vieillot, 1819)
Donacobiidae	<i>Donacobius atricapilla</i> (Linnaeus, 1766)
Poliptilidae	<i>Microbates collaris</i> (Pelzeln, 1868)
	<i>Ramphocaenus melanurus</i> Vieillot, 1819
	<i>Poliptila plumbea</i> (Gmelin, 1788)
	<i>Poliptila dumicola</i> (Vieillot, 1817)
Turdidae	<i>Cichlopsis leucogenys</i> Cabanis, 1851
	<i>Turdus flavipes</i> Vieillot, 1818
	<i>Turdus rufiventris</i> Vieillot, 1818
	<i>Turdus leucomelas</i> Vieillot, 1818
	<i>Turdus fumigatus</i> Lichtenstein, 1823
	<i>Turdus amaurochalinus</i> Cabanis, 1850
	<i>Turdus subalaris</i> (Seebohm, 1887)
	<i>Turdus albicollis</i> Vieillot, 1818
Mimidae	<i>Mimus gilvus</i> (Vieillot, 1807)
	<i>Mimus saturninus</i> (Lichtenstein, 1823)
Motacillidae	<i>Anthus lutescens</i> Pucheran, 1855
Coerebidae	<i>Coereba flaveola</i> (Linnaeus, 1758)
Thraupidae	<i>Saltator fuliginosus</i> (Daudin, 1800)
	<i>Saltator maximus</i> (Statius Muller, 1776)
	<i>Saltator coerulescens</i> Vieillot, 1817
	<i>Saltator similis</i> d'Orbigny & Lafresnaye, 1837
	<i>Saltatricula atricollis</i> (Vieillot, 1817)
	<i>Orchesticus abeillei</i> (Lesson, 1839)
	<i>Compsothraupis loricata</i> (Lichtenstein, 1819)
	<i>Nemosia pileata</i> (Boddaert, 1783)
	<i>Thlypopsis sordida</i> (d'Orbigny & Lafresnaye, 1837)
	<i>Cypsnagra hirundinacea</i> (Lesson, 1831)
	<i>Tachyphonus rufus</i> (Boddaert, 1783)
	<i>Tachyphonus coronatus</i> (Vieillot, 1822)
	<i>Ramphocelus bresilius</i> (Linnaeus, 1766)
	<i>Ramphocelus carbo</i> (Pallas, 1764)
	<i>Lanio cristatus</i> (Linnaeus, 1766)
	<i>Lanio pileatus</i> (Wied, 1821)
	<i>Lanio penicillatus</i> (Spix, 1825)
	<i>Lanio melanops</i> (Vieillot, 1818)
	<i>Tangara brasiliensis</i> (Linnaeus, 1766)
	<i>Tangara velia</i> (Linnaeus, 1758)
	<i>Tangara cyanomelaena</i> (Wied, 1830)
	<i>Tangara seledon</i> (Statius Muller, 1776)
	<i>Tangara fastuosa</i> (Lesson, 1831)
	<i>Tangara cyanocephala</i> (Statius Muller, 1776)
	<i>Tangara cyanoventris</i> (Vieillot, 1819)
	<i>Tangara sayaca</i> (Linnaeus, 1766)

Emberizidae

Tangara cyanoptera (Vieillot, 1817)
Tangara palmarum (Wied, 1823)
Tangara ornata (Sparman, 1789)
Tangara peruviana (Desmarest, 1806)
Tangara cayana (Linnaeus, 1766)
Neothraupis fasciata (Lichtenstein, 1823)
Cissopis leverianus (Gmelin, 1788)
Schistochlamys melanopsis (Latham, 1790)
Schistochlamys ruficapillus (Vieillot, 1817)
Paroaria dominicana (Linnaeus, 1758)
Pipraeidea melanonota (Vieillot, 1819)
Tersina viridis (Illiger, 1811)
Dacnis cayana (Linnaeus, 1766)
Cyanerpes cyaneus (Linnaeus, 1766)
Chlorophanes spiza (Linnaeus, 1758)
Hemithraupis guira (Linnaeus, 1766)
Hemithraupis ruficapilla (Vieillot, 1818)
Hemithraupis flavicollis (Vieillot, 1818)
Conirostrum speciosum (Temminck, 1824)
Conirostrum bicolor (Vieillot, 1809)
Zonotrichia capensis (Statius Muller, 1776)
Ammodramus humeralis (Bosc, 1792)
Porphyrospiza caerulescens (Wied, 1830)
Haplospiza unicolor Cabanis, 1851
Poospiza cinerea Bonaparte, 1850
Sicalis citrina Pelzeln, 1870
Sicalis columbiana Cabanis, 1851
Sicalis flaveola (Linnaeus, 1766)
Sicalis luteola (Sparman, 1789)
Emberizoides herbicola (Vieillot, 1817)
Embernagra longicauda Strickland, 1844
Volatinia jacarina (Linnaeus, 1766)
Sporophila frontalis (Verreaux, 1869)
Sporophila falcirostris (Temminck, 1820)
Sporophila plumbea (Wied, 1830)
Sporophila collaris (Boddaert, 1783)
Sporophila lineola (Linnaeus, 1758)
Sporophila nigricollis (Vieillot, 1823)
Sporophila ardesiaca (Dubois, 1894)
Sporophila caerulescens (Vieillot, 1823)
Sporophila albogularis (Spix, 1825)
Sporophila leucoptera (Vieillot, 1817)
Sporophila bouvreuil (Statius Muller, 1776)
Sporophila palustris (Barrows, 1883)
Sporophila castaneiventris Cabanis, 1849
Sporophila angolensis (Linnaeus, 1766)

		<i>Sporophila maximiliani</i> (Cabanis, 1851)
		<i>Tiaris fuliginosus</i> (Wied, 1830)
		<i>Arremon taciturnus</i> (Hermann, 1783)
		<i>Arremon franciscanus</i> Raposo, 1997
		<i>Arremon flavirostris</i> Swainson, 1838
		<i>Charitospiza eucosma</i> Oberholser, 1905
Cardinalidae		<i>Piranga flava</i> (Vieillot, 1822)
		<i>Habia rubica</i> (Vieillot, 1817)
		<i>Caryothraustes canadensis</i> (Linnaeus, 1766)
		<i>Cyanoloxia moesta</i> (Hartlaub, 1853)
		<i>Cyanoloxia brissonii</i> (Lichtenstein, 1823)
		<i>Cyanoloxia glaucocaerulea</i> (d'Orbigny & Lafresnaye,
	1837)	
Parulidae		<i>Parula pitaiayumi</i> (Vieillot, 1817)
		<i>Geothlypis aequinoctialis</i> (Gmelin, 1789)
		<i>Basileuterus culicivorus</i> (Deppe, 1830)
		<i>Basileuterus hypoleucus</i> Bonaparte, 1830
		<i>Basileuterus flaveolus</i> (Baird, 1865)
		<i>Basileuterus leucophrys</i> Pelzeln, 1868
		<i>Phaeothlypis rivularis</i> (Wied, 1821)
Icteridae		<i>Psarocolius decumanus</i> (Pallas, 1769)
		<i>Procacicus solitarius</i> (Vieillot, 1816)
		<i>Cacicus haemorrhous</i> (Linnaeus, 1766)
		<i>Cacicus cela</i> (Linnaeus, 1758)
		<i>Icterus pyrrhopterus</i> (Vieillot, 1819)
		<i>Icterus cayanensis</i> (Linnaeus, 1766)
		<i>Icterus jamacaii</i> (Gmelin, 1788)
		<i>Gnorimopsar chopi</i> (Vieillot, 1819)
		<i>Curaeus forbesi</i> (Sclater, 1886)
		<i>Agelasticus cyanopus</i> (Vieillot, 1819)
		<i>Chrysomus ruficapillus</i> (Vieillot, 1819)
		<i>Agelaioides fringillarius</i> (Spix 1824)
		<i>Molothrus rufoaxillaris</i> Cassin, 1866
		<i>Molothrus oryzivorus</i> (Gmelin, 1788)
		<i>Molothrus bonariensis</i> (Gmelin, 1789)
		<i>Sturnella supercilialis</i> (Bonaparte, 1850)
		<i>Dolichonyx oryzivorus</i> (Linnaeus, 1758)
Fringillidae		<i>Sporagra yarrellii</i> (Audubon, 1839)
		<i>Sporagra magellanica</i> (Vieillot, 1805)
		<i>Euphonia chlorotica</i> (Linnaeus, 1766)
		<i>Euphonia violacea</i> (Linnaeus, 1758)
		<i>Euphonia cyanocephala</i> (Vieillot, 1818)
		<i>Euphonia xanthogaster</i> Sundevall, 1834
		<i>Euphonia pectoralis</i> (Latham, 1801)
		<i>Chlorophonia cyanea</i> (Thunberg, 1822)
Estrildidae		<i>Estrilda astrild</i> (Linnaeus, 1758)

